



LYSAGHT NOVALINE® fascia system

Integrates with most LYSAGHT gutters

LYSAGHT NOVALINE® is a fascia system that integrates with most of our gutters. It comprises:

- ▲ The fascia
- ▲ Metal fixing brackets
- ▲ One of many gutters
- ▲ Spring clips that fastens the gutter to the fascia
- ▲ Overstraps to suit the chosen gutter.

Availability

NOVALINE is available in all states, though the West Australian product has a different profile, and the following accessories:

- ▲ External and internal corners
- ▲ Spring clips
- ▲ Stop ends
- ▲ Splice plates

Compatible gutters

- ▲ EMLINE®
- ▲ QUAD 115 Hi-front
- ▲ QUAD 115 Lo-front
- ▲ QUAD 125
- ▲ QUAD 150
- ▲ OGEE™
- ▲ TRIMLINE®

Finishes

COLORBOND® steel colours

Support spacings

NOVALINE fascia should be supported on brackets at 1200 mm maximum centres for sheet roofing, and 600 mm for tile roofing. NOVALINE fascia must not be used as an end-span support for sheet roofing.

Gutter support

Use only an appropriate gutter overstrap to support the gutter.



Rainwater Products



Structural Products



Fencing Products



Home Improvements



Roofing & Walling Products



House Framing Products




Customer Support

Installation Procedure


Support Spacings

The NOVALINE fascia should be supported on rafter clips at 1200 mm (maximum) centres for sheet roofing, and 600 mm (maximum) centres for tile roofing. Where steel roofing is used, the NOVALINE fascia shall not be used as an end span support. If fixing to wood use Type 17 screws.



Step 1 (Refer to note on support spacings)

Attach rafter clip at each end of the run, then run a string-line from end to end of the run. Attach rafter brackets level and in line with the string line.



Step 2

Hook the fascia horizontally under each end clip, then flip the fascia forward and lever over the top of the bracket into the vertical position.



Step 3

Adjust the fascia to the correct position by sliding it along the brackets, then secure intermediate brackets by twisting into fascia first, and then connecting to the rafters.

Step 4

Fit the fascia accessories as required. (i.e. Corners, End closers, etc.)

Gutter Installation




Step 1

Straddle the Spring Clip over the fascia by rolling from behind and up over the fascia to the vertical position.



Step 2

By hitting the top of the clip down with a closed fist, push the clip all the way down into place. Place two clips a maximum of 1200 mm apart over the fascia at the mid-point position of the length of the gutter about to be installed.



Step 3

By holding the gutter from underneath, push the rear of the gutter up between the fascia and the clip.

Push the gutter up so that the top zinger (rib) is placed between the 1st and 2nd barb of the Spring Clips.



Step 4

When fastening the clips as you work your way down from the high end to the low end, push the clip down over both the fascia and the gutter together, then push the gutter back up to the desired level to retain a (minimum) fall of 1 in 500.




Step 5

Locate the gutter overstrap beside each Spring Clip by engaging under the front of the gutter bead, then roll the rear of the overstrap back towards the fascia.

Secure the overstrap by folding the tail behind the fascia.

LYSAGHT NOVALINE FASCIA SYSTEM

Novaline fascia accessories




Multipurpose fascia bracket
ZINCALUME




Hip bracket
ZINCALUME




Spring clip
ZINCALUME




Internal cover cap
ZINCALUME & COLORBOND




Internal corner
ZINCALUME & COLORBOND



External corner
ZINCALUME & COLORBOND



Barge mould: Right hand
ZINCALUME & COLORBOND



Barge mould: Left hand
ZINCALUME & COLORBOND




Splice plate
ZINCALUME




Apex cover
ZINCALUME & COLORBOND



End closer
ZINCALUME & COLORBOND



Novaline fascia



NOVALINE Design Advantages

- Designed to integrate perfectly with most LYSAGHT gutters
- Available in a wide range of COLORBOND® steel colours
- It can be fixed quickly and easily
- Quality guaranteed
- Performance backed by BlueScope Lysaght

Product Samples



9 320075 033293

Information, brochures and your local distributor **1800 641 417**

Please check the latest information which is always available at www.lysaght.com

LYSAGHT, NOVALINE and COLORBOND are registered trademarks of BlueScope Steel Limited, ABN 16 000 011 058.

The LYSAGHT® range of products is exclusively made by BlueScope Steel Limited trading as BlueScope Lysaght.

Printed by BMP 2M0707

